

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--------------------|------------------|---------|------------------|
| S1 | 1085 | (370/468).CCLS. AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/05/27 16:25 |
| S2 | 323 | FAX AND IP AND (G3 OR (Group ADJ "3")) | US-PGPUB; USPAT | OR | ON | 2005/01/13 11:45 |
| S3 | 1111 | (358/1.1,400,404;370/352,401,468,516;379/88. 17;382/276;705/80;706/50;709/100,105,200,221,226,227,228;713/100).CCLS. AND FAX AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/14 15:24 |
| S4 | 125 | (358/1.1,400,404;370/352,401,468,516;379/88. 17;382/276;705/80;706/50;709/100,105,200,221,226,227,228;713/100).CCLS. AND FAX AND packet AND receiver AND transmitter AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/12 10:46 |
| S5 | 64 | (358/1.1,400,404;370/352,401,468,516;379/88. 17;382/276;705/80;706/50;709/100,105,200,221,226,227,228;713/100).CCLS. AND FAX AND packet AND receiver AND transmitter AND IP AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2005/01/13 12:01 |
| S6 | 91 | (358/1.1,400,404;370/352,401,468,516;379/88. 17;382/276;705/80;706/50;709/100,105,200,221,226,227,228;713/100).CCLS. AND FAX AND receiver AND transmitter AND internet AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/05/26 15:08 |
| S7 | 1 | ("5812786").PN. | USPAT; USOCR | OR | OFF | 2004/01/12 14:56 |
| S8 | 137 | (packet ADJ rate) AND size AND delay AND internet AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/13 10:15 |
| S9 | 64 | (packet ADJ rate) AND (packet ADJ size) AND delay AND internet AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/13 12:09 |
| S10 | 0 | (abnormal ADJ termination ADJ5 G3FAX) AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/13 12:10 |
| S11 | 0 | (termination ADJ5 G3FAX) AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/13 12:11 |
| S12 | 21 | (G3FAX) AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/21 15:54 |

| | | | | | | | |
|-----|------|--|--|--------------------|----|----|------------------|
| S13 | 2 | jp-08331164\$.did. | | JPO; DERWENT | OR | ON | 2004/01/13 15:25 |
| S14 | 2 | jp-04096454\$.did. | | JPO; DERWENT | OR | ON | 2004/01/13 15:21 |
| S15 | 2 | jp-09331348\$.did. | | JPO; DERWENT | OR | ON | 2004/01/13 15:26 |
| S16 | 2 | jp-10178494\$.did. | | JPO; DERWENT | OR | ON | 2004/01/13 15:27 |
| S17 | 2 | jp-10334023\$.did. | | JPO; DERWENT | OR | ON | 2004/01/13 16:14 |
| S18 | 1 | jp-07079250\$.did. | | JPO; DERWENT | OR | ON | 2004/01/13 16:14 |
| S19 | 22 | ((358/1.1,400,404;370/352,401,468,516;379/88.17;382/276;705/80) OR (706/50;709/100,105,200,221,226,227,228;713/100)).CCLS. AND delay AND receiver AND transmitter AND internet AND terminal AND packetize AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | | US-PGPUB; USPAT | OR | ON | 2004/01/14 15:00 |
| S20 | 22 | ((358/1.1,400,404;370/352,401,468,516;379/88.17) OR (382/276;705/80;706/50;709/100,105,200,221,226,227,228;713/100)).CCLS. AND delay AND receiver AND transmitter AND internet AND terminal AND packetize AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | | US-PGPUB; USPAT | OR | ON | 2005/01/13 12:03 |
| S21 | 1095 | ((358/1.1,400,404;370/352,401,468,516;379/88.17;382/276) OR (705/80;706/50;709/100,105,200,221,226,227,228;713/100)).CCLS. AND FAX AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | | US-PGPUB; USPAT | OR | ON | 2004/01/14 15:25 |
| S22 | 698 | ((358/1.1,400,404;370/352,401,468,516;379/88.17;382/276) OR (705/80;706/50;709/100,105,200,221,226,227,228;713/100)).CCLS. AND terminal AND delay AND internet AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | | US-PGPUB; USPAT | OR | ON | 2004/01/22 10:35 |
| S23 | 179 | ((358/1.1,400,404;370/352,401,468,516;379/88.17;382/276) OR (705/80;706/50;709/100,105,200,221,226,227,228;713/100)).CCLS. AND terminal AND delay AND internet AND transmitter AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | | US-PGPUB; USPAT | OR | ON | 2004/01/14 15:26 |
| S24 | 176 | ((358/1.1,400,404;370/352,401,468,516;379/88.17;382/276) OR (705/80;706/50;709/100,105,200,221,226,227,228;713/100)).CCLS. AND terminal AND delay AND internet AND transmitter AND control AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | | US-PGPUB; USPAT | OR | ON | 2005/01/25 10:37 |

| | | | | | | |
|-----|---------|--|------------------------|----|-----|------------------|
| S25 | 3 | ((358/1.1.400,404;370/352,401,468,516;379/88.17;382/276) OR (705/80;706/50;709/100,105,200,221,226,227,228;713/100)).CCLS. AND terminal AND delay AND internet AND transmitter AND control AND packetizer AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/14 15:27 |
| S26 | 1 | ("6360271").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/01/21 15:48 |
| S27 | 1 | ("6359877").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/01/21 15:48 |
| S28 | 2799 | (delay) AND (transmission) AND packet AND optimize AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/21 15:55 |
| S29 | 2730 | (delay) AND (transmission) AND packet AND optimize AND control AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/21 15:55 |
| S30 | 3173696 | (delay) AND (transmission) AND packet AND optimize AND control AND apparatusAND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/21 15:56 |
| S31 | 1689 | (delay) AND (transmission) AND packet AND optimize AND control AND apparatus AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/21 15:56 |
| S32 | 622 | (delay) AND (transmission) AND packet AND optimize AND control AND apparatus AND IP AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/21 15:56 |
| S33 | 354 | (delay) AND (transmission) AND packet AND optimize AND control AND apparatus AND IP AND terminal AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/21 15:59 |
| S34 | 35 | (delay) AND (transmission) AND (packet ADJ size) AND optimize AND control AND apparatus AND IP AND terminal AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/21 16:16 |
| S35 | 1 | ("6646986").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/01/21 16:18 |
| S36 | 0 | ((358/1.1.400,404;370/352,401,468,516;379/88.17;382/276) OR (705/80;706/50;709/100,105,200,221,226,227,228;713/100)).CCLS. AND terminal AND delay AND internet AND (adjust ADJ packet AND size) AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/22 10:36 |

| | | | | | | |
|-----|----|---|------------------------------|----|-----|------------------|
| S37 | 1 | ((358/1.1,400,404;370/352,401,468,516;379/88,17;382/276) OR (705/80;706/50;709/100,105,200,221,226,227,228;713/100)).CCLS. AND terminal AND delay AND internet AND (adjust ADJ4 packet ADJ4 size) AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/22 10:55 |
| S38 | 4 | terminal AND delay AND internet AND (adjust ADJ4 packet ADJ4 size) AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/22 11:14 |
| S39 | 3 | terminal AND delay AND internet AND (adjust ADJ4 packet ADJ4 size) AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/22 11:14 |
| S40 | 1 | ("6370163").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/01/23 11:08 |
| S41 | 22 | (358/1.1,400,404;370/352,401,468,516,519;379/88,17;382/276;705/80;706/50;709/100,105,200,221,226,227,228;713/100).CCLS. AND delay AND receiver AND transmitter AND internet AND terminal AND packetize AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/01/23 11:11 |
| S42 | 1 | ("6360271").PN. | USPAT; USOCR | OR | OFF | 2004/01/28 14:14 |
| S43 | 1 | ("6370163").PN. | USPAT; USOCR | OR | OFF | 2004/01/28 14:20 |
| S44 | 1 | ("6646987").PN. | USPAT; USOCR | OR | OFF | 2004/01/28 14:20 |
| S45 | 1 | ("6646986").PN. | USPAT; USOCR | OR | OFF | 2004/01/28 14:22 |
| S46 | 1 | ("5296934").PN. | USPAT; USOCR | OR | OFF | 2004/01/28 14:24 |
| S47 | 1 | ("6359877").PN. | USPAT; USOCR | OR | OFF | 2004/01/28 14:24 |
| S48 | 8 | IP AND network AND packetizer AND FAX AND receiver AND transmitter AND internet AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/05/26 15:08 |
| S49 | 1 | ("6298057").PN. | USPAT; USOCR | OR | OFF | 2004/05/27 16:25 |

| | | | | | | |
|-----|-----|--|--------------------|----|-----|------------------|
| S50 | 180 | ((358/1.1,400,404;370/352,401,468,516) OR (379/88.17;382/276;705/80;706/50) OR (709/100,105,200,221,226,227,228;713/100)).CCLS. AND delay AND receiver AND transmitter AND internet AND terminal AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2004/05/28 12:08 |
| S55 | 20 | FAX AND IFP | US-PGPUB; USPAT | OR | ON | 2005/01/13 11:45 |
| S56 | 84 | (358/1.1,400,404;370/352,401,468,516;379/88.17;382/276;705/80;706/50;709/100,105,200,221,226,227,228;713/100).CCLS. AND FAX AND packet AND receiver AND transmitter AND IP AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2005/01/25 08:59 |
| S57 | 24 | ((358/1.1,400,404;370/352,401,468,516;379/88.17) OR (382/276;705/80;706/50;709/100,105,200,221,226,227,228;713/100)).CCLS. AND delay AND receiver AND transmitter AND internet AND terminal AND packetize AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2005/01/13 12:03 |
| S58 | 144 | FAX AND G3 AND G2 AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2005/01/25 09:05 |
| S59 | 224 | ((358/1.1,400,404;370/352,401,468,516;379/88.17;382/276) OR (705/80;706/50;709/100,105,200,221,226,227,228;713/100)).CCLS. AND terminal AND delay AND internet AND transmitter AND control AND (@AD<"19991210" OR @PRAD<"19991210" OR @RLAD<"19991210") | US-PGPUB; USPAT | OR | ON | 2005/01/25 12:03 |
| S60 | 1 | ("6674550").PN. | USPAT | OR | OFF | 2005/01/25 12:03 |